


TANGO 36 (TA-20011)



Product description


1 side - Round



Luminaire structure

- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Clear toughened glass
- High-efficiency PMMA lens
- Integral control gear
- Maximum wind load resistance is 140 km/h


Light symbol



Product colour



Special finishes upon request



Technical information

| | |
|-----------------------|---------------|
| Light source | 16 LED |
| Light source type | LED |
| Dimming type | DALI, On/Off |
| Material | Aluminium |
| Weight | 5.3 kg |
| Operating temperature | -20°C to 40°C |

| | |
|---------------|--------------------------|
| Luminaire | |
| Power | 18 W & 35 W |
| Lumen | 1735 - 3910 lm |
| Efficacy | 99 - 112 lm/W |
| CCT / CRI | 3000K CRI80, 4000K CRI80 |
| Drive current | 350 & 700 mA |
| Driver option | Integral control gear |
| Driver | Constant current (CC) |
| Input voltage | 220-240 V 50/60 Hz |


| | |
|-----------------------|--|
| Optic | EW [105°x113°], W [51°x56°] ME [58°x136°], LAO1 [151°x65°] T1 [145°x68°], T2 [50°x134°] T3 [64°x125°], T4 [72°x98°] |
| Bug | B1-U0-G1 |
| ULR | 0% |
| ULOR | 0% |
| CIE flux code n°3 | 98 |
| MacAdam Ellipse | 3 SDCM |
| Lifetime L90B10 (hrs) | 90,000 |
| Lifetime L80B10 (hrs) | 90,000 |
| Lifetime L80B50 (hrs) | 90,000 |

TANGO 36 (TA-20011)

Product variants

HOW TO SPECIFY

| LIGA | TA-20011 | 350 | LA01 | 8030 | ND | 01 |
|------|----------|---------|--------------|---------|---------|--------------------|
| | MODEL | OUTPUT | DISTRIBUTION | CRI/CCT | DIMMING | COLOUR FINISH |
| | TA-20011 | 350 18W | EW | 8030 | ND | 01 BLACK |
| | | 700 35W | W | 8040 | DALI | 02 DARK GREY |
| | | | ME | | | 03 WHITE |
| | | | LA01 | | | 05 MATT SILVER |
| | | | T1 | | | 06 BRONZE |
| | | | T2 | | | S - SPECIAL FINISH |
| | | | T3 | | | |
| | | | T4 | | | |



SPIGOT POSTTOP